




mobile station for :

light floors with polystyrene,
cellular
concrete, premixed liquid screeds





**Iveco truck 4 axles, year of production 2023, 3700km on board, GPS ,
Overmat pump 73 hours
of operation, year of production 2024**



Mai puțin efort pentru operator

Amestecarea și pomparea au loc continuu și automat. Operatorul nu trebuie să fie în mașină, deoarece întregul proces poate fi gestionat prin radio control.

Fără risipă

Materialul este dozat perfect iar ceea ce nu este folosit rămâne depozitat în interiorul utilajului, gata de a fi folosit pe următorul șantier. Aceasta înseamnă că nu există surplus sau ambalaje de eliminat.

Agilitate și compactitatea

Sistemul poate fi utilizat pe mai multe șantiere în aceeași zi, timpii de organizare se reduc la jumătate față de metodele tradiționale de lucru.

Viteza și calitate

Productie rapida cu control constant al materialelor folosite, pentru a obtine un produs final de calitate certificata.

Doborârea costurilor

Utilizarea materialelor vrac, depozitate în compartimentele corespunzătoare ale utilajului, permite o reducere a costurilor de șantier.



Fabricat in Italia

Tradiția, experiența, creativitatea și tehnologia italiană sunt inima producției noastre



Inovație

Creăm noi soluții pentru a construi viitorul.



Ambiție

Aționăm cu dorința de a excela, vrem să fim alegerea, nu alternativa.



Competență

Încurajăm dobândirea de cunoștințe pentru a obține cel mai bun rezultat




Pasiune

Un impuls emoțional care ne permite să depășim provocările și să ne ridicăm standardele





Insulating
fluid hoes
with EPS polystyrene




leveling hoes
foamed/
cellular concrete

Cement or fluid
based hoes
anhydrite


Advantages:

- Self-leveling -
helicoptering work is
eliminated
- Continuous flow of
material
- The exact recipe at
all



**CLC (CONCRETE CELLULAR)
CELLULAR CONCRETE: NEW
HORIZONS IN INFRASTRUCTURE AND W
geotechnical**

**Depending on the formula used and by
site requirements, it is possible
produces either a cellular concrete
draining or water repellent**





OVERMAT MSA 22 PTO

Hydraulic drive system - PTO drive of the vehicle through a hydraulic unit. ,

sand or other binder, total volume 22m³, divided into

loading mouths diam. 500 **Silos for cement 2 bunkers of 9 m³ and 13 m³ 2 gravity**

mm; Stainless steel **water tanks** , **equipped with level sensors**; refueling through

of **2x 1,000 liters** equipped with a filling pump 250l/min, roll

of 60ml hose **Upper mixer** - useful volume 350 liters, cylindrical shape, made of stainless

steel; -weighing system through load cells;

-weighing system

with load cells; - automatic greasing system; **Lower mixer**

- hydraulically operated;

- useful volume 700 liters, made of stainless steel; -

level sensor - automatic greasing system;

Screw pump model 2L8, variable flow between 200-400 liters/min;

Inverter 220 V

Strainer connection for supplying material (cement, filler, anhydrite screed) from the manufacturer's tank





Operating panel in stainless steel, color display integrated in the operating panel; selection, memorization of recipes, diagnosis, thermal printer;

Two-way remote control with 10 buttons + emergency

High pressure washer; -pump

flow rate 15l/min @ 150 bar;

Drum for material hose, motorized and radio-controlled; **3 x additive dispensers** with

flowmeters and 2 own tanks of 120 liters;

Foam generation system - 600 lit/min @ 8 bar

compressor;

EPS KIT EPS aspiration and dosing kit

Motorized water hose reel

Automatic greasing system of the whole machine

GPS - with GPRS system - location tracking in real time, production processes, errors and alarms;

Pumping area video camera



description	List price	pcs	List price	discount
OVERMAT MSA 22 A PTO automatic pumping system, side aluminum doors, pipes for pneumatic reloading with level sensors	€233,000.00	1	€233,000.00	€195,905.00
BASIC ACCESSORIES				
GPS - GPRS system	€2,700.00	1	€2,700.00	€2,173.00
extra accessories				
Liquid additive tank with flow meter	€3,600.00	2	€7,200.00	€5,796.00
Foam generator	€16,000.00	1	€16,000.00	€12,880.00
Dosing kit for EPS with vacuum cleaner + rotary valve	€19,000.00	1	€19,000.00	€15,300.00
PTO- power take-off for connecting to the truck Dividing	€2,200.00	1	€2,200.00	€2,200.00
the binder silo into two parts (13 m3 + 9 m3) including pipes for pneumatic refilling of the binder	€11,050.00	1	€11,050.00	€8,895.00
Motorized water hose reel	€2,900.00		€2,900.00	€2,335.00
INVERTER for electrical connections (not on the operator panel) automatic				€990
greasing of the entire machine		1		€5,175.00
Aluminum rear hood (pvc standard)		1		€805
material hose DN50 , 20ml		2		€1,897.00
2x squeeze vent connections (firemen)	€1200		€1000	€1000
Hose reduction from 50 to 35mm			included	included
second air outlet			included	included
material hose reel			included	included
20ml water hose			included	included
totally without a truck	€294,050.00			€254,351.00

4 AXLE truck	Iveco	1	€125,000.00	€123,800.00
---------------------	--------------	----------	--------------------	--------------------

Total cost

€378,151.00

SPECIAL PRICE**BLACK FRIDAY €320,000**

